



QUALITY CERTIFICATE EN 10204 / 3.1	REPORT NO	841/2017					
	DATE	17.03.2017					
	CLIENT	P.V.F.TRADERS D.O.O.					
NAME OF PRODUCT							
TYPE OF VALVE	GLOBE VALVE						
NOMINAL DIAMETER (DN) mm	DN 015 DN 020 DN 025 DN 032 DN 040 DN 050 DN 065 DN 080 DN 100 DN 125						
NOMINAL PRESSURE (PN) bar	PN 16						
STANDARD / DESIGN	TS EN 13789						
END CONNECTION	TS EN 1092-2						
QUANTITY	356						
Nominal Diameter	QUANTITY	Nominal Diameter	QUANTITY				
DN 015	70 PCS	DN 065	30 PCS				
DN 020	40 PCS	DN 080	60 PCS				
DN 025	10 PCS	DN 100	49 PCS				
DN 032	20 PCS	DN 125	17 PCS				
DN 040	10 PCS						
DN 050	50 PCS						
SPECIFICATION OF MATERIALS							
Body	EN JL 1040 (GG 25)	Packing	GRAFİT (GRAPHITE)				
Flange	EN JL 1040 (GG 25)	Packing Gland	CuZn40Pb2 (BRASS)				
Handwheel	EN JL 1040 (GG 25)	Gasket	KLINGERIT				
Stem	AISI 420 (STAINLESS STEEL)	Sight Glass	ACRYLIC				
Disc	AISI 420 (STAINLESS STEEL)	Sight Glass Gasket	EPDM				
Seat	AISI 304 (STAINLESS STEEL)	Label Plate	AISI 304 (STAINLESS STEEL)				
TEST CONDITIONS							
TEST LIQUID	WATER						
BODY TEST	24 BAR						
LEAKAGE TEST	18 BAR						
TEST STANDART NO	TS EN 12266-1						
TYPICAL CHEMICAL ANALYSIS							
C	Mn	Si	P	S	Rm	Rp	A
3,12	0,56	2,1	0,041	0,043	285	211	0,62
CONTROL FOR DISPATCH				DUYAR			
INSIDE CLEANING	OK	DUYAR VANA MAKİNA SAN. ve TİC. A.Ş. Osmancazi Mh. 2653 Sok. No:7/1 Kırac-Esenyurt / İST. Tel: 0212 444 82 62 Fax: 0212 355 07 47 Marmara Kurumlar V.D.: 320 003 9012 Mersis No: 0320003901200011					
PAINTING&COLOR	BLUE						
END COVER	OK						
MARKING	OK						
INSPECTOR / Tamer SOYDAN		QUALITY ASSURANCE MANAGER / Gökhan BAŞMAN					



QUALITY CERTIFICATE EN 10204 / 3.1

REPORT NO	899/2017
DATE	26.4.2017
CLIENT	P.V.F.TRADERS D.O.O.

NAME OF PRODUCT

TYPE OF VALVE	GLOBE VALVE
NOMINAL DIAMETER (DN) mm	DN 200 DN 040 DN 050 DN 050
NOMINAL PRESSURE (PN) bar	PN 16
STANDARD / DESIGN	TS EN 13789
END CONNECTION	TS EN 1092-2
QUANTITY	85

Nominal Diameter	QUANTITY	Nominal Diameter	QUANTITY
DN 200	5 PCS		
DN 040	50 PCS		
DN 050	2 PCS		
DN 050	28 PCS		

SPECIFICATION OF MATERIALS

Body	EN JL 1040 (GG 25)
Flange	EN JL 1040 (GG 25)
Handwheel	EN JL 1040 (GG 25)
Stem	AISI 420 (STAINLESS STEEL)
Disc	AISI 420 (STAINLESS STEEL)
Seat	AISI 304 (STAINLESS STEEL)

TEST CONDITIONS

TEST LIQUID	WATER
BODY TEST	24 BAR
LEAKAGE TEST	18 BAR
TEST STANDART NO	TS EN 12266-1

TYPICAL CHEMICAL ANALYSIS

C	Mn	Si	P	S
3.12	0.56	2.1	0.041	0.043

CONTROL FOR DISPATCH

INSIDE CLEANING	OK
PAINTING&COLOR	BLUE
END COVER	OK
MARKING	OK

DUYAR VANA MAKİNA SAN. VE TİC. A.Ş.
Ölçümleri Mh. 2653 Sok. No:7/1 KIRIÇ-ESENYURT / İST.
Tel: 0212 444 82 62 Fax: 0212 355 07 47
Marmara Kurumlar V.D.: 329 003 9012
Mersis No: 0320003901200011

INSPECTOR / Tamer SOYDAN

QUALITY ASSURANCE MANAGER / Gökhan BAŞMAN

DVF 20-047

DUYAR VANA MAKİNA SAN. VE TİC. A.Ş.

OSMANGAZI MAH.2653 SOK. NO :7 /1 KIRIÇ / ESENYURT / İSTANBUL - TÜRKİYE

TEL: + 90 212 444 82 62 - FAX: + 212 355 07 47

website: www.duyarvalve.com e-mail: info@duyarvalve



QUALITY CERTIFICATE EN 10204 / 3.1	REPORT NO	1024/2017				
	DATE	20.10.2017				
	CLIENT	P.V.F.TRADERS D.O.O.				
NAME OF PRODUCT						
TYPE OF VALVE	GLOBE VALVE					
NOMINAL DIAMETER (DN) mm	DN 032 DN 150 DN 080 DN 100 DN 080 DN 050					
NOMINAL PRESSURE (PN) bar	PN 16					
STANDARD / DESIGN	TS EN 13789					
END CONNECTION	TS EN 1092-2					
QUANTITY	93					
Nominal Diameter	QUANTITY	Nominal Diameter	QUANTITY			
DN 032	18 PCS					
DN 150	5 PCS					
DN 080	10 PCS					
DN 100	10 PCS					
DN 080	20 PCS					
DN 050	30 PCS					
SPECIFICATION OF MATERIALS						
Body	EN JL 1040 (GG 25)	Packing	GRAFİT (GRAPHITE)			
Flange	EN JL 1040 (GG 25)	Packing Gland	CuZn40Pb2 (BRASS)			
Handwheel	EN JL 1040 (GG 25)	Gasket	KLINGERIT			
Stem	AISI 420 (STAINLESS STEEL)					
Disc	AISI 420 (STAINLESS STEEL)					
Seat	AISI 304 (STAINLESS STEEL)					
TEST CONDITIONS						
TEST LIQUID	WATER					
BODY TEST	24 BAR					
LEAKAGE TEST	18 BAR					
TEST STANDART NO	TS EN 12266-1					
TYPICAL CHEMICAL ANALYSIS						
C	Mn	Si	P	S	Zn	
3,12	0,56	2,1	0,041	0,043		39,41
CONTROL FOR DISPATCH						
INSIDE CLEANING	OK	 DUYAR VANA MAKİNA SAN. VE TİC. A.Ş. Osmangazi Mh. 2653 Sk. No:7/1 Kiraç-Esenyurt / İST. Tel: 0212 444 82 62 Fax: 0212 355 07 47 Marmara Kurumlar Y.D.: 320 003 9012 Mersis No: 0320003901200011				
PAINTING&COLOR	BLUE					
END COVER	OK					
MARKING	OK					
INSPECTOR / Tamer SOYDAN		QUALITY ASSURANCE MANAGER / Gökhan BAŞMAN				

DVF 20-047



QUALITY CERTIFICATE EN 10204 / 3.1	REPORT NO	1024/2017			
	DATE	10.11.2017			
	CLIENT	P.V.F. TRADERS D.O.O.			
NAME OF PRODUCT					
TYPE OF VALVE	GLOBE VALVE				
NOMINAL DIAMETER (DN) mm	DN 040 DN 020 DN 100 DN 080 DN 020 DN 040 DN 065				
NOMINAL PRESSURE (PN) bar	PN 16				
STANDARD / DESIGN	TS EN 13789				
END CONNECTION	TS EN 1092-2				
QUANTITY	116				
Nominal Diameter		QUANTITY	Nominal Diameter	QUANTITY	
DN 040		16 PCS	DN 065	30 PCS	
DN 020		20 PCS			
DN 100		10 PCS			
DN 080		2 PCS			
DN 020		30 PCS			
DN 040		8 PCS			
SPECIFICATION OF MATERIALS					
Body	EN JL 1040 (GG 25)	Packing	GRAFİT (GRAPHITE)		
Flange	EN JL 1040 (GG 25)	Packing Gland	CuZn40Pb2 (BRASS)		
Handwheel	EN JL 1040 (GG 25)	Gasket	KLINGERİT		
Stem	AISI 420 (STAINLESS STEEL)				
Disc	AISI 420 (STAINLESS STEEL)				
Seat	AISI 304 (STAINLESS STEEL)				
TEST CONDITIONS					
TEST LIQUID	WATER				
BODY TEST	24 BAR				
LEAKAGE TEST	18 BAR				
TEST STANDART NO	TS EN 12266-1				
TYPICAL CHEMICAL ANALYSIS					
C	Mn	Si	P	S	Zn
3,12	0,56	2,1	0,041	0,043	39,41
CONTROL FOR DISPATCH					
INSIDE CLEANING	OK	DUYAR DUYAR VANA MAKİNA SAN. VE TİC. A.Ş. Osmangazi Mh. 2653 Sk. No:7/1 Kiraç / Esenyurt / İST. Tel: 0212 444 82 62 Fax: 0212 355 07 47 Marmara Kurumlar V.D.: 320 003 9012 Mersis No: 0330003901260012			
PAINTING&COLOR	BLUE				
END COVER	OK				
MARKING	OK				
INSPECTOR / Taner SOYDAN	QUALITY ASSURANCE MANAGER / Gökhan BAŞMAN				



QUALITY CERTIFICATE EN 10204 / 3.1		REPORT NO		
		DATE		
		CLIENT		
		23.11.2017		
		P.V.F. TRADERS D.O.O.		
NAME OF PRODUCT				
TYPE OF VALVE		GLOBE VALVE		
NOMINAL DIAMETER (DN) mm		DN 020 DN 080		
NOMINAL PRESSURE (PN) bar		PN 16		
STANDARD / DESIGN		TS EN 13789		
END CONNECTION		TS EN 1092-2		
QUANTITY		28		
SPECIFICATION OF MATERIALS				
Nominal Diameter	QUANTITY	Nominal Diameter	QUANTITY	
DN 020	20 PCS			
DN 080	8 PCS			
Body	EN JL 1040 (GG 25)	Packing	GRAFİT (GRAPHITE)	
Flange	EN JL 1040 (GG 25)	Packing Gland	CuZn40Pb2 (BRASS)	
Handwheel	EN JL 1040 (GG 25)	Gasket	KLİNGERİT	
Stem	AISI 420 (STAINLESS STEEL)			
Disc	AISI 420 (STAINLESS STEEL)			
Seat	AISI 304 (STAINLESS STEEL)			
TEST CONDITIONS				
TEST LIQUID	WATER			
BODY TEST	24 BAR			
LEAKAGE TEST	18 BAR			
TEST STANDART NO	TS EN 12266-1			
TYPICAL CHEMICAL ANALYSIS				
C	Mn	Si	P	S
3,12	0,56	2,1	0,041	0,043
INSIDE CLEANING	 DUYAR VANA MAKİNA SAN. VE TİC. A.Ş. Osmangazi Mh. 2653 Sk. No:7/1 KIRIÇ-ESENYURT / İST. Tel: 0212 444 82 62 Fax: 0212 355 07 47 Marmara Kurumlar V.D.: 320 003 9012 Mersis No. 0320003901200011			
PAINTING&COLOR				
END COVER				
MARKING				
INSPECTOR /	QUALITY ASSURANCE MANAGER / Gökhan BAŞMAN			



QUALITY CERTIFICATE

EN 10204 / 3.1

REPORT NO

DATE

22.12.2017

CLIENT

P.V.F. TRADERS D.O.O.

NAME OF PRODUCT

TYPE OF VALVE

GLOBE VALVE

NOMINAL DIAMETER (DN) mm

DN 040 DN 015 DN 032 DN 050 DN 032 DN 015 DN 025 DN

NOMINAL PRESSURE (PN) bar

PN 16

STANDARD / DESIGN

TS EN 13789

END CONNECTION

TS EN 1092-2

QUANTITY

235

Nominal Diameter

QUANTITY

Nominal Diameter

QUANTITY

DN 040

22 PCS

DN 025

30 PCS

DN 015

40 PCS

DN 150

5 PCS

DN 032

32 PCS

DN 050

15 PCS

DN 050

15 PCS

DN 032

16 PCS

DN 015

60 PCS

SPECIFICATION OF MATERIALS

Body

EN JL 1040 (GG 25)

Packing

GRAFIT (GRAPHITE)

Flange

EN JL 1040 (GG 25)

Packing Gland

CuZn40Pb2 (BRASS)

Handwheel

EN JL 1040 (GG 25)

Gasket

KLINGERIT

Stem

AISI 420 (STAINLESS
STEEL)

Disc

AISI 420 (STAINLESS STEEL)

Seat

AISI 304 (STAINLESS STEEL)

TEST CONDITIONS

TEST LIQUID

WATER

BODY TEST

24 BAR

LEAKAGE TEST

18 BAR

TEST STANDART NO

TS EN 12266-1

TYPICAL CHEMICAL ANALYSIS

C

Mn

Si

P

S

3,12

0,56

2,1

0,041

0,043

INSIDE CLEANING

OK

PAINTING&COLOR

BLUE

END COVER

OK

MARKING

DUYAR

DUYAR VANA MAKİNA SAN. VE TİC. A.Ş.
Osmangazi Mh. 2653 Sk. No:7/1 Kırac-Esenyurt / İST.
Tel: 0212 444 82 62 Fax: 0212 355 07 47
Marmara Kurumlar V.D.: 320 003 9012
Mersis No: 0320003901200011

INSPECTOR /

QUALITY ASSURANCE MANAGER / Gökhan BAŞMAN

DUYAR VANA MAKİNA SAN. VE TİC. A.Ş.

DVF 20-047

OSMANGAZI MAH.2653 SOK. NO :7 /1 KIRAC / ESENYURT / İSTANBUL - TÜRKİYE

TEL: + 90 212 444 82 62 - FAX: + 212 355 07 47

website: www.duyarvalve.com e-mail: info@duyarvalve



QUALITY CERTIFICATE EN 10204 / 3.1	REPORT NO	814/2018			
	DATE	12.01.2018			
	CLIENT	P.V.F.TRADERS D.O.O.			
NAME OF PRODUCT					
TYPE OF VALVE	GLOBE VALVE				
NOMINAL DIAMETER (DN) mm	DN 032 DN 040				
NOMINAL PRESSURE (PN) bar	PN 16				
STANDARD / DESIGN	TS EN 13789				
END CONNECTION	TS EN 1092-2				
QUANTITY	54				
Nominal Diameter		QUANTITY	Nominal Diameter		QUANTITY
DN 032		14 PCS			
DN 040		40 PCS			
SPECIFICATION OF MATERIALS					
Body	EN JL 1040 (GG 25)	Packing	GRAFİT (GRAPHITE)		
Flange	EN JL 1040 (GG 25)	Packing Gland	CuZn40Pb2 (BRASS)		
Handwheel	EN JL 1040 (GG 25)	Gasket	KLINGERIT		
Stem	AISI 420 (STAINLESS STEEL)				
Disc	AISI 420 (STAINLESS STEEL)				
Seat	AISI 304 (STAINLESS STEEL)				
TEST CONDITIONS					
TEST LIQUID	WATER				
BODY TEST	24 BAR				
LEAKAGE TEST	18 BAR				
TEST STANDART NO	TS EN 12266-1				
TYPICAL CHEMICAL ANALYSIS					
C	Mn	Si	P	S	
3,12	0,56	2,1	0,041	0,043	
INSIDE CLEANING	OK				
PAINTING&COLOR	BLUE				
END COVER	OK				
MARKING	OK				
INSPECTOR /Tamer SOYDAN		QUALITY ASSURANCE MANAGER / Gökhan BAŞMAN			
DUYAR DUYAR VANA MAKİNA SAN. ve TİC. A.Ş. Osmangazi Mh. 2653 Sk. No:7/1 Kiraç-Esenyurt / İST. Tel: 0212 444 82 62 Fax: 0212 355 07 47 Marmara Kurumlar V.D.: 320 003 9012 Marsis No: 222022001200011					

DUYAR VANA MAKİNA SAN. VE TİC. A.Ş.

OSMANGAZI MAH.2653 SOK. NO :7 /1 KIRAÇ / ESENYURT / İSTANBUL - TÜRKİYE

TEL: + 90 212 444 82 62 - FAX: + 212 355 07 47

website: www.duyarvalve.com e-mail: info@duyarvalve

DVF 20-047